




















No.	Image	Details
1	 <p>* Batten Spacing has to be determined based on actual rafter length.</p>	<p>Name : MONIER Advanced Contour ® Length (L) : 420 mm Horizontal Width (W) : 330 mm (300 + 30mm) Headlap : 75 mm - 100 mm Batten Spacing : 320 mm - 345 mm Weight : 4.30 kg/pcs (approximately) Minimum Pitch : 17.5 ° Coverage : 9.7 pcs/m² (based on 75 mm headlap) Laying Pattern : Straight Bond / Cross Bond</p>
2		<p>Name : Ridge & Hip Tile Length (L) : 330 mm Horizontal Width (W) : 250 mm Weight : 3.30 kg/pcs (approximately) Coverage : 3.38 pcs/m</p> 
3		<p>Name : 2-Way Ridge Length (L) : 330 mm Horizontal Width (W) : 250 mm Weight : 3.50 kg/pcs (approximately)</p> 
4		<p>Name : Ridge End Length (L) : 265 mm Horizontal Width (W) : 210 mm Weight : 3.20 kg/pcs (approximately)</p> 
5		<p>Name : Hip End Length (L) : 360 mm Horizontal Width (W) : 210 mm Weight : 3.20 kg/pcs (approximately)</p> 



No.	Image	Details
6		<p>Name : 3 Way Apex Horizontal Width (W) : 220 mm Spread Angle (θ) : 135° from main ridge line to hip line : 90° between hip lines Weight : 5.50 kg/pcs (approximately)</p> 
7		<p>Name : 4 Way Apex Horizontal Width (W) : 220 mm Spread Angle (θ) : 90° Weight : 7.00 kg/pcs (approximately)</p> 
8		<p>Name : Universal Verge Tile Length (L) : 420 mm Horizontal Width (W) : 180 ~ 245mm Internal Angle (θ) : 74° Weight : 4.70 kg/pcs (approximately)</p> <p>Coverage : 2.90 pcs/m</p> 
9		<p>Name : Universal Verge End Length (L) : 420 mm Horizontal Width (W) : 216 ~ 245mm Internal Angle (θ) : 74° Weight : 4.90 kg/pcs (approximately)</p> 
10		<p>Name : V-Pipe Tile Length x Width : 420 (L) mm x 330 (W) mm Opening Dimension : 180 (L) mm x 120 (W) mm uPVC Pipe Diameter : 110mm Max. (Outer Diameter) Pitch (θ) : 17.5° - 45° Elastomer Material : Ethylene Propylene Diene Monomer (EDPM) Weight : 5.30 kg/pcs (approximately)</p>



MONIER Concrete Tiles - ADVANCED CONTOUR ®*Last Updated on 2019.08.09*

No.	Image	Details
11		<p>Name : MONIER Top Light (Profile: Advanced Contour ®) Length (L) : 420 mm Horizontal Width (W) : 330 mm (300 + 30mm) Headlap : 75 mm - 100 mm Batten Spacing : 320 mm - 345 mm Weight : 0.60 kg/pcs (approximately) Minimum Pitch : 17.5 °</p> <p>Securing Method : U-Clip & Screws (Provided)</p>

